

**PHP Version 5.2.6**

<b>System</b>	Windows NT L219AR07 5.1 build 2600
<b>Build Date</b>	May 2 2008 18:01:20
<b>Configure Command</b>	cscript /nologo configure.js "--enable-snapshot-build" "--with-gd=shared" "--with-extra-includes=C:\Program Files (x86)\Microsoft SDK\Include;C:\PROGRA~2\MICROS~2\VC98\ATL\INCLUDE;C:\PROGRA~2\MICROS~2\VC98\INCLUDE;C:\PROGRA~2\MICROS~2\VC98\MFC\INCLUDE" "--with-extra-libs=C:\Program Files (x86)\Microsoft SDK\Lib;C:\PROGRA~2\MICROS~2\VC98\LIB;C:\PROGRA~2\MICROS~2\VC98\MFC\LIB"
<b>Server API</b>	Apache 2.0 Handler
<b>Virtual Directory Support</b>	enabled
<b>Configuration File (php.ini) Path</b>	C:\WINDOWS
<b>Loaded Configuration File</b>	(none)
<b>PHP API</b>	20041225
<b>PHP Extension</b>	20060613
<b>Zend Extension</b>	220060519
<b>Debug Build</b>	no
<b>Thread Safety</b>	enabled
<b>Zend Memory Manager</b>	enabled
<b>IPv6 Support</b>	enabled
<b>Registered PHP Streams</b>	php, file, data, http, ftp, compress.zlib
<b>Registered Stream Socket Transports</b>	tcp, udp
<b>Registered Stream Filters</b>	convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, zlib.*

This program makes use of the Zend Scripting Language Engine:  
 Zend Engine v2.2.0, Copyright (c) 1998-2008 Zend Technologies



## PHP Credits

### Configuration

#### PHP Core

Directive	Local Value	Master Value
<b>allow_call_time_pass_reference</b>	On	On
<b>allow_url_fopen</b>	On	On
<b>allow_url_include</b>	Off	Off
<b>always_populate_raw_post_data</b>	Off	Off
<b>arg_separator.input</b>	&	&
<b>arg_separator.output</b>	&	&
<b>asp_tags</b>	Off	Off
<b>auto_append_file</b>	<i>no value</i>	<i>no value</i>
<b>auto_globals_jit</b>	On	On
<b>auto_prepend_file</b>	<i>no value</i>	<i>no value</i>
<b>browscap</b>	<i>no value</i>	<i>no value</i>
<b>default_charset</b>	<i>no value</i>	<i>no value</i>
<b>default_mimetype</b>	text/html	text/html
<b>define_syslog_variables</b>	Off	Off
<b>disable_classes</b>	<i>no value</i>	<i>no value</i>
<b>disable_functions</b>	<i>no value</i>	<i>no value</i>
<b>display_errors</b>	On	On
<b>display_startup_errors</b>	Off	Off

<b>doc_root</b>	<i>no value</i>	<i>no value</i>
<b>docref_ext</b>	<i>no value</i>	<i>no value</i>
<b>docref_root</b>	<i>no value</i>	<i>no value</i>
<b>enable_dl</b>	On	On
<b>error_append_string</b>	<i>no value</i>	<i>no value</i>
<b>error_log</b>	<i>no value</i>	<i>no value</i>
<b>error_prepend_string</b>	<i>no value</i>	<i>no value</i>
<b>error_reporting</b>	<i>no value</i>	<i>no value</i>
<b>expose_php</b>	On	On
<b>extension_dir</b>	C:\php5	C:\php5
<b>file_uploads</b>	On	On
<b>highlight.bg</b>	#FFFFFF	#FFFFFF
<b>highlight.comment</b>	#FF8000	#FF8000
<b>highlight.default</b>	#0000BB	#0000BB
<b>highlight.html</b>	#000000	#000000
<b>highlight.keyword</b>	#007700	#007700
<b>highlight.string</b>	#DD0000	#DD0000
<b>html_errors</b>	On	On
<b>ignore_repeated_errors</b>	Off	Off
<b>ignore_repeated_source</b>	Off	Off
<b>ignore_user_abort</b>	Off	Off
<b>implicit_flush</b>	Off	Off
<b>include_path</b>	.;C:\php5\pear	.;C:\php5\pear
<b>log_errors</b>	Off	Off
<b>log_errors_max_len</b>	1024	1024
<b>magic_quotes_gpc</b>	On	On
<b>magic_quotes_runtime</b>	Off	Off
<b>magic_quotes_sybase</b>	Off	Off
<b>mail.force_extra_parameters</b>	<i>no value</i>	<i>no value</i>
<b>max_execution_time</b>	30	30
<b>max_input_nesting_level</b>	64	64

<b>max_input_time</b>	-1	-1
<b>memory_limit</b>	128M	128M
<b>open_basedir</b>	<i>no value</i>	<i>no value</i>
<b>output_buffering</b>	0	0
<b>output_handler</b>	<i>no value</i>	<i>no value</i>
<b>post_max_size</b>	8M	8M
<b>precision</b>	14	14
<b>realpath_cache_size</b>	16K	16K
<b>realpath_cache_ttl</b>	120	120
<b>register_argc_argv</b>	On	On
<b>register_globals</b>	Off	Off
<b>register_long_arrays</b>	On	On
<b>report_memleaks</b>	On	On
<b>report zend debug</b>	On	On
<b>safe_mode</b>	Off	Off
<b>safe_mode_exec_dir</b>	<i>no value</i>	<i>no value</i>
<b>safe_mode_gid</b>	Off	Off
<b>safe_mode_include_dir</b>	<i>no value</i>	<i>no value</i>
<b>sendmail_from</b>	<i>no value</i>	<i>no value</i>
<b>sendmail_path</b>	<i>no value</i>	<i>no value</i>
<b>serialize_precision</b>	100	100
<b>short_open_tag</b>	On	On
<b>SMTP</b>	localhost	localhost
<b>smtp_port</b>	25	25
<b>sql.safe_mode</b>	Off	Off
<b>track_errors</b>	Off	Off
<b>unserialize_callback_func</b>	<i>no value</i>	<i>no value</i>
<b>upload_max_filesize</b>	2M	2M
<b>upload_tmp_dir</b>	<i>no value</i>	<i>no value</i>
<b>user_dir</b>	<i>no value</i>	<i>no value</i>
<b>variables_order</b>	EGPCS	EGPCS

<b>xmlrpc_error_number</b>	0	0
<b>xmlrpc_errors</b>	Off	Off
<b>y2k_compliance</b>	On	On
<b>zend.ze1_compatibility_mode</b>	Off	Off

## apache2handler

<b>Apache Version</b>	Apache/2.2.9 (Win32) PHP/5.2.6
<b>Apache API Version</b>	20051115
<b>Server Administrator</b>	admin@bvs.bireme.local
<b>Hostname:Port</b>	L219AR07.uab.es:0
<b>Max Requests</b>	Per Child: 0 - Keep Alive: on - Max Per Connection: 100
<b>Timeouts</b>	Connection: 300 - Keep-Alive: 5
<b>Virtual Server</b>	No
<b>Server Root</b>	C:/ABCD/Apache2.2
<b>Loaded Modules</b>	core mod_win32 mpm_winnt http_core mod_so mod_actions mod_alias mod_asis mod_auth_basic mod_authn_default mod_authn_file mod_authz_default mod_authz_groupfile mod_authz_host mod_authz_user mod_autoindex mod_cgi mod_dir mod_env mod_include mod_isapi mod_log_config mod_mime mod_negotiation mod_setenvif mod_php5

Directive	Local Value	Master Value
<b>engine</b>	1	1
<b>last_modified</b>	0	0
<b>xbithack</b>	0	0

## Apache Environment

Variable	Value
<b>HTTP_HOST</b>	localhost:9090
<b>HTTP_USER_AGENT</b>	Mozilla/5.0 (Windows NT 5.1; rv:9.0.1) Gecko/20100101 Firefox/9.0.1

<b>HTTP_ACCEPT</b>	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
<b>HTTP_ACCEPT_LANGUAGE</b>	ca,es;q=0.8,en;q=0.5,en-us;q=0.3
<b>HTTP_ACCEPT_ENCODING</b>	gzip, deflate
<b>HTTP_ACCEPT_CHARSET</b>	ISO-8859-1,utf-8;q=0.7,*;q=0.7
<b>HTTP_CONNECTION</b>	keep-alive
<b>HTTP_COOKIE</b>	PHPSESSID=de1dc6bb49d2cc7e49d1b68f3a4c0e3a; clientLanguage=es
<b>PATH</b>	C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;C:\Archivos de programa\QuickTime\QTSystem\;C:\ABCD\php\ext;C:\CISIS\SYS;C:\ABCD\php\ext;c:\isis\sys;c:\zip
<b>SystemRoot</b>	C:\WINDOWS
<b>COMSPEC</b>	C:\WINDOWS\system32\cmd.exe
<b>PATHEXT</b>	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH
<b>WINDIR</b>	C:\WINDOWS
<b>SERVER_SIGNATURE</b>	<i>no value</i>
<b>SERVER_SOFTWARE</b>	Apache/2.2.9 (Win32) PHP/5.2.6
<b>SERVER_NAME</b>	localhost
<b>SERVER_ADDR</b>	127.0.0.1
<b>SERVER_PORT</b>	9090
<b>REMOTE_ADDR</b>	127.0.0.1
<b>DOCUMENT_ROOT</b>	C:/ABCD/www/htdocs
<b>SERVER_ADMIN</b>	admin@bvs.bireme.local
<b>SCRIPT_FILENAME</b>	C:/ABCD/www/htdocs/pepe.php
<b>REMOTE_PORT</b>	2716
<b>GATEWAY_INTERFACE</b>	CGI/1.1
<b>SERVER_PROTOCOL</b>	HTTP/1.1
<b>REQUEST_METHOD</b>	GET
<b>QUERY_STRING</b>	<i>no value</i>
<b>REQUEST_URI</b>	/pepe.php
<b>SCRIPT_NAME</b>	/pepe.php

## HTTP Headers Information

HTTP Request Headers	
<b>HTTP Request</b>	GET /pepe.php HTTP/1.1
<b>Host</b>	localhost:9090
<b>User-Agent</b>	Mozilla/5.0 (Windows NT 5.1; rv:9.0.1) Gecko/20100101 Firefox/9.0.1
<b>Accept</b>	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
<b>Accept-Language</b>	ca,es;q=0.8,en;q=0.5,en-us;q=0.3
<b>Accept-Encoding</b>	gzip, deflate
<b>Accept-Charset</b>	ISO-8859-1,utf-8;q=0.7,*,q=0.7
<b>Connection</b>	keep-alive
<b>Cookie</b>	PHPSESSID=de1dc6bb49d2cc7e49d1b68f3a4c0e3a; clientLanguage=es
HTTP Response Headers	
<b>X-Powered-By</b>	PHP/5.2.6
<b>Keep-Alive</b>	timeout=5, max=100
<b>Connection</b>	Keep-Alive
<b>Transfer-Encoding</b>	chunked
<b>Content-Type</b>	text/html

## bcmath

<b>BCMath support</b>	enabled
-----------------------	---------

## calendar

<b>Calendar support</b>	enabled
-------------------------	---------

## com\_dotnet

<b>COM support</b>	enabled
<b>DCOM support</b>	disabled
<b>.Net support</b>	enabled

Directive	Local Value	Master Value
<b>com.allow_dcom</b>	0	0
<b>com.autoregister_casesensitive</b>	1	1
<b>com.autoregister_typelib</b>	0	0
<b>com.autoregister_verbose</b>	0	0
<b>com.code_page</b>	<i>no value</i>	<i>no value</i>
<b>com.typelib_file</b>	<i>no value</i>	<i>no value</i>

## ctype

<b>ctype functions</b>	enabled
------------------------	---------

## date

<b>date/time support</b>	enabled
<b>"Olson" Timezone Database Version</b>	2008.2
<b>Timezone Database</b>	internal
<b>Default timezone</b>	Europe/Paris

Directive	Local Value	Master Value
<b>date.default_latitude</b>	31.7667	31.7667
<b>date.default_longitude</b>	35.2333	35.2333
<b>date.sunrise_zenith</b>	90.583333	90.583333
<b>date.sunset_zenith</b>	90.583333	90.583333
<b>date.timezone</b>	<i>no value</i>	<i>no value</i>

## dom

<b>DOM/XML</b>	enabled
----------------	---------



<b>DOM/XML API Version</b>	20031129
<b>libxml Version</b>	2.6.32
<b>HTML Support</b>	enabled
<b>XPath Support</b>	enabled
<b>XPointer Support</b>	enabled
<b>Schema Support</b>	enabled
<b>RelaxNG Support</b>	enabled

## filter

<b>Input Validation and Filtering</b>	enabled
<b>Revision</b>	\$Revision: 1.52.2.42 \$

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
<b>filter.default</b>	unsafe_raw	unsafe_raw
<b>filter.default_flags</b>	<i>no value</i>	<i>no value</i>

## ftp

<b>FTP support</b>	enabled
--------------------	---------

## hash

<b>hash support</b>	enabled
<b>Hashing Engines</b>	md2 md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru gost adler32 crc32 crc32b haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

## iconv

<b>iconv support</b>	enabled
<b>iconv implementation</b>	"libiconv"
<b>iconv library version</b>	1.11

Directive	Local Value	Master Value
<b>iconv.input_encoding</b>	ISO-8859-1	ISO-8859-1
<b>iconv.internal_encoding</b>	ISO-8859-1	ISO-8859-1
<b>iconv.output_encoding</b>	ISO-8859-1	ISO-8859-1

## json

<b>json support</b>	enabled
<b>json version</b>	1.2.1

## libxml

<b>libXML support</b>	active
<b>libXML Version</b>	2.6.32
<b>libXML streams</b>	enabled

## odbc

<b>ODBC Support</b>	<b>enabled</b>
<b>Active Persistent Links</b>	0
<b>Active Links</b>	0
<b>ODBC library</b>	Win32

Directive	Local Value	Master Value
<b>odbc.allow_persistent</b>	On	On
<b>odbc.check_persistent</b>	On	On

<b>odbc.default_db</b>	<i>no value</i>	<i>no value</i>
<b>odbc.default_pw</b>	<i>no value</i>	<i>no value</i>
<b>odbc.default_user</b>	<i>no value</i>	<i>no value</i>
<b>odbc.defaultbinmode</b>	return as is	return as is
<b>odbc.defaultlrl</b>	return up to 4096 bytes	return up to 4096 bytes
<b>odbc.max_links</b>	Unlimited	Unlimited
<b>odbc.max_persistent</b>	Unlimited	Unlimited

## pcre

<b>PCRE (Perl Compatible Regular Expressions) Support</b>	enabled
<b>PCRE Library Version</b>	7.6 2008-01-28

Directive	Local Value	Master Value
<b>pcre.backtrack_limit</b>	100000	100000
<b>pcre.recursion_limit</b>	100000	100000

## Reflection

<b>Reflection</b>	enabled
<b>Version</b>	\$Id: php_reflection.c,v 1.164.2.33.2.50 2008/03/13 15:56:21 iliaa Exp \$

## session

<b>Session Support</b>	enabled
<b>Registered save handlers</b>	files user
<b>Registered serializer handlers</b>	php php_binary wddx

Directive	Local Value	Master Value
<b>session.auto_start</b>	Off	Off

session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	4	4
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	<i>no value</i>	<i>no value</i>
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	0	0

## SimpleXML

Simplexml support	enabled
Revision	\$Revision: 1.151.2.22.2.39 \$
Schema support	enabled

## SPL

<b>SPL support</b>	<b>enabled</b>
<b>Interfaces</b>	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
<b>Classes</b>	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException

## standard

<b>Regex Library</b>	Bundled library enabled
<b>Dynamic Library Support</b>	enabled
<b>Internal Sendmail Support for Windows</b>	enabled

Directive	Local Value	Master Value
<b>assert.active</b>	1	1
<b>assert.bail</b>	0	0
<b>assert.callback</b>	<i>no value</i>	<i>no value</i>
<b>assert.quiet_eval</b>	0	0
<b>assert.warning</b>	1	1
<b>auto_detect_line_endings</b>	0	0
<b>default_socket_timeout</b>	60	60
<b>safe_mode_allowed_env_vars</b>	PHP_	PHP_
<b>safe_mode_protected_env_vars</b>	LD_LIBRARY_PATH	LD_LIBRARY_PATH
<b>url_rewriter.tags</b>	a=href,area=href,frame=src,form=,fieldset=	a=href,area=href,frame=src,form=,fieldset=
<b>user_agent</b>	<i>no value</i>	<i>no value</i>

## tokenizer

Tokenizer Support	enabled
-------------------	---------

## wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

## xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.6.32

## xmlreader

XMLReader	enabled
-----------	---------

## xmlwriter

XMLWriter	enabled
-----------	---------

## zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3

<b>Linked Version</b>	1.2.3
-----------------------	-------

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
<b>zlib.output_compression</b>	Off	Off
<b>zlib.output_compression_level</b>	-1	-1
<b>zlib.output_handler</b>	<i>no value</i>	<i>no value</i>

## Additional Modules

<b>Module Name</b>

## Environment

<b>Variable</b>	<b>Value</b>
<i>no value</i>	::::\
<i>no value</i>	C:=C:\ABCD
<i>no value</i>	ExitCode=00000002
<b>ALLUSERSPROFILE</b>	D:\Documents and Settings\All Users
<b>APPDATA</b>	D:\Documents and Settings\mcuadrado\Datos de programa
<b>CLASSPATH</b>	.;C:\Archivos de programa\Java\jre1.5.0_10\lib\ext\QTJava.zip
<b>CLIENTNAME</b>	Console
<b>CommonProgramFiles</b>	C:\Archivos de programa\Archivos comunes
<b>COMPUTERNAME</b>	L219AR07
<b>ComSpec</b>	C:\WINDOWS\system32\cmd.exe
<b>FP_NO_HOST_CHECK</b>	NO
<b>HOMEDRIVE</b>	D:
<b>HOMEPATH</b>	\Documents and Settings\mcuadrado
<b>LOGONSERVER</b>	\\PLANAR
<b>NUMBER_OF_PROCESSORS</b>	2
<b>OS</b>	Windows_NT

<b>Path</b>	C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;C:\Archivos de programa\QuickTime\QTSystem\;C:\ABCD\php\ext;C:\CISIS\SYS;C:\ABCD\php\ext;c:\isis\sys;c:\zip
<b>PATHEXT</b>	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH
<b>PROCESSOR_ARCHITECTURE</b>	x86
<b>PROCESSOR_IDENTIFIER</b>	x86 Family 6 Model 15 Stepping 6, GenuineIntel
<b>PROCESSOR_LEVEL</b>	6
<b>PROCESSOR_REVISION</b>	0f06
<b>ProgramFiles</b>	C:\Archivos de programa
<b>PROMPT</b>	\$P\$G
<b>QTJAVA</b>	C:\Archivos de programa\Java\jre1.5.0_10\lib\ext\QTJava.zip
<b>SESSIONNAME</b>	Console
<b>SonicCentral</b>	C:\Archivos de programa\Archivos comunes\Sonic Shared\Sonic Central\
<b>SystemDrive</b>	C:
<b>SystemRoot</b>	C:\WINDOWS
<b>TEMP</b>	D:\DOCUME~1\MCUADR~1\CONFIG~1\Temp
<b>TMP</b>	D:\DOCUME~1\MCUADR~1\CONFIG~1\Temp
<b>USERDNSDOMAIN</b>	UAB.ES
<b>USERDOMAIN</b>	UAB
<b>USERNAME</b>	mcuadrado
<b>USERPROFILE</b>	D:\Documents and Settings\mcuadrado
<b>windir</b>	C:\WINDOWS
<b>AP_PARENT_PID</b>	4060

## PHP Variables

Variable	Value
<b>_REQUEST["PHPSESSID"]</b>	de1dc6bb49d2cc7e49d1b68f3a4c0e3a
<b>_REQUEST["clientLanguage"]</b>	es
<b>_COOKIE["PHPSESSID"]</b>	de1dc6bb49d2cc7e49d1b68f3a4c0e3a
<b>_COOKIE["clientLanguage"]</b>	es
<b>_SERVER["HTTP_HOST"]</b>	localhost:9090



_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows NT 5.1; rv:9.0.1) Gecko/20100101 Firefox/9.0.1
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_SERVER["HTTP_ACCEPT_LANGUAGE"]	ca,es;q=0.8,en;q=0.5,en-us;q=0.3
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_ACCEPT_CHARSET"]	ISO-8859-1,utf-8;q=0.7,*;q=0.7
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["HTTP_COOKIE"]	PHPSESSID=de1dc6bb49d2cc7e49d1b68f3a4c0e3a; clientLanguage=es
_SERVER["PATH"]	C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;C:\Archivos de programa\QuickTime\QTSystem\;C:\ABCD\php\ext;C:\CISIS\SYS;C:\ABCD\php\ext;c:\isis\sys;c:\zip
_SERVER["SystemRoot"]	C:\WINDOWS
_SERVER["COMSPEC"]	C:\WINDOWS\system32\cmd.exe
_SERVER["PATHEXT"]	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH
_SERVER["WINDIR"]	C:\WINDOWS
_SERVER["SERVER_SIGNATURE"]	<i>no value</i>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.9 (Win32) PHP/5.2.6
_SERVER["SERVER_NAME"]	localhost
_SERVER["SERVER_ADDR"]	127.0.0.1
_SERVER["SERVER_PORT"]	9090
_SERVER["REMOTE_ADDR"]	127.0.0.1
_SERVER["DOCUMENT_ROOT"]	C:/ABCD/www/htdocs
_SERVER["SERVER_ADMIN"]	admin@bvs.bireme.local
_SERVER["SCRIPT_FILENAME"]	C:/ABCD/www/htdocs/pepe.php
_SERVER["REMOTE_PORT"]	2716
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/pepe.php
_SERVER["SCRIPT_NAME"]	/pepe.php

_SERVER["PHP_SELF"]	/pepe.php
_SERVER["REQUEST_TIME"]	1326900090
_SERVER["argv"]	Array ( )
_SERVER["argc"]	0
_ENV["ALLUSERSPROFILE"]	D:\Documents and Settings\All Users
_ENV["APPDATA"]	D:\Documents and Settings\mcuadrado\Datos de programa
_ENV["CLASSPATH"]	.;C:\Archivos de programa\Java\jre1.5.0_10\lib\ext\QTJava.zip
_ENV["CLIENTNAME"]	Console
_ENV["CommonProgramFiles"]	C:\Archivos de programa\Archivos comunes
_ENV["COMPUTERNAME"]	L219AR07
_ENV["ComSpec"]	C:\WINDOWS\system32\cmd.exe
_ENV["FP_NO_HOST_CHECK"]	NO
_ENV["HOMEDRIVE"]	D:
_ENV["HOMEPATH"]	\Documents and Settings\mcuadrado
_ENV["LOGONSERVER"]	\\PLANAR
_ENV["NUMBER_OF_PROCESSORS"]	2
_ENV["OS"]	Windows_NT
_ENV["Path"]	C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;C:\Archivos de programa\QuickTime\QTSystem\;C:\ABCD\php\ext;C:\CISIS\SYS;C:\ABCD\php\ext;c:\isis\sys;c:\zip
_ENV["PATHEXT"]	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH
_ENV["PROCESSOR_ARCHITECTURE"]	x86
_ENV["PROCESSOR_IDENTIFIER"]	x86 Family 6 Model 15 Stepping 6, GenuineIntel
_ENV["PROCESSOR_LEVEL"]	6
_ENV["PROCESSOR_REVISION"]	0f06
_ENV["ProgramFiles"]	C:\Archivos de programa
_ENV["PROMPT"]	\$P\$G
_ENV["QTJAVA"]	C:\Archivos de programa\Java\jre1.5.0_10\lib\ext\QTJava.zip
_ENV["SESSIONNAME"]	Console
_ENV["SonicCentral"]	C:\Archivos de programa\Archivos comunes\Sonic Shared\Sonic Central\

_ENV["SystemDrive"]	C:
_ENV["SystemRoot"]	C:\WINDOWS
_ENV["TEMP"]	D:\DOCUME~1\MCUADR~1\CONFIG~1\Temp
_ENV["TMP"]	D:\DOCUME~1\MCUADR~1\CONFIG~1\Temp
_ENV["USERDNSDOMAIN"]	UAB.ES
_ENV["USERDOMAIN"]	UAB
_ENV["USERNAME"]	mcuadrado
_ENV["USERPROFILE"]	D:\Documents and Settings\mcuadrado
_ENV["windir"]	C:\WINDOWS
_ENV["AP_PARENT_PID"]	4060

## PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact [license@php.net](mailto:license@php.net).